BLITZ GLASS

Frameless pool fencing (12mm)

Blitz Glass stocks a large range of 12mm thick clear toughened glass pool panels that allows you to select an installation configuration to cover nearly all frameless situations.

Panels are produced under strict quality conformance requirements which allows us to supply only the highest quality glass.



- 12 mm thick clear toughened
- 2 mm radius corners
- Suits friction spigots
- No hole toughened glass
- Superior edge finishing
- Grade “A” toughened glass
- Australian Standards copliant AS/NSS2208
- Corner protectors in packing

Order code	Width	Height	Sqm	Weight
FF-0200	200mm	1200mm	0.24	7kg
FF-0300	300mm	1200mm	0.36	11kg
FF-0400	400mm	1200mm	0.48	14kg
FF-0500	500mm	1200mm	0.60	18kg
FF-0600	600mm	1200mm	0.72	22kg
FF-0700	700mm	1200mm	0.84	25kg
FF-0800	800mm	1200mm	0.96	29kg
FF-0900	900mm	1200mm	1.08	32kg
FF-1000	1000mm	1200mm	1.20	36kg
FF-1050	1050mm	1200mm	1.26	38kg
FF-1100	1100mm	1200mm	1.32	40kg
FF-1150	1150mm	1200mm	1.38	41kg
FF-1200	1200mm	1200mm	1.44	43kg
FF-1250	1250mm	1200mm	1.50	45kg
FF-1300	1300mm	1200mm	1.56	47kg
FF-1350	1350mm	1200mm	1.62	49kg
FF-1400	1400mm	1200mm	1.68	50kg
FF-1450	1450mm	1200mm	1.74	52kg
FF-1500	1500mm	1200mm	1.80	54kg
FF-1550	1550mm	1200mm	1.86	56kg
FF-1600	1600mm	1200mm	1.92	58kg
FF-1650	1650mm	1200mm	1.98	59kg
FF-1700	1700mm	1200mm	2.04	61kg
FF-1750	1750mm	1200mm	2.10	63kg
FF-1800	1800mm	1200mm	2.16	65kg
FF-1850	1850mm	1200mm	2.22	67kg
FF-1900	1900mm	1200mm	2.28	68kg
FF-1950	1950mm	1200mm	2.34	70kg
FF-2000	2000mm	1200mm	2.40	72kg

Frameless Hinge Panels



Order code	Width	Height	Sqm	Weight
FHP-0500	500mm	1200mm	0.60	18kg
FHP-1000	1000mm	1200mm	1.20	36kg
FHP-1100	1100mm	1200mm	1.32	40kg
FHP-1200	1200mm	1200mm	1.44	43kg
FHP-1300	1300mm	1200mm	1.56	47kg
FHP-1400	1400mm	1200mm	1.68	50kg
FHP-1500	1500mm	1200mm	1.80	54kg
FHP-1600	1600mm	1200mm	1.92	58kg
FHP-1800	1800mm	1200mm	2.16	65kg

12 mm thick clear toughened

2 mm radius corners

Suits master range hardware

4xØ14mm holes.

With 8 Hinge Panel options to suit Master Range hinge hardware and an extensive range of gate panels your glass gate installation configurations should be satisfied.

The master Range Hinge Panels to be used with the standard Master Range Glass to Glass Hinge. (GHG2G)

Polaris Hinge Panels (12mm)



With 8 Hinge Panel options to suit Master Range Hinge hardware and an extensive range of gate panels your glass installation configurations should be satisfied.

12mm thick clear toughened

5mm radius corners

Suits Polaris 110 series and120 series hinges

2x hinge cut outs

Use with glass to glass Polaris Soft Close hinges

Suggested Spigot Replacement

Refer to Recommended Spigot Placement based on the width of the panel as outlined on page 16.

Order Code	Width	Height	Sqm	Weight
12NPH-1000	1000mm	1200mm	1.20	36kg
12NPH-1100	1100mm	1200mm	1.32	40kg
12NPH-1200	1200mm	1200mm	1.44	43kg
12NPH-1300	1300mm	1200mm	1.56	47kg
12NPH-1400	1400mm	1200mm	1.68	50kg
12NPH-1500	1500mm	1200mm	1.80	54kg
12NPH-1600	1600mm	1200mm	1.92	58kg
12NPH-1800	1800mm	1200mm	2.16	65kg

Frameless Panels - Suggested Spigot Placement

Suggested spigot placement



Overall Width	A*	B*	C*
200mm	50mm	100mm	50mm
300mm	100mm	100mm	100mm
400mm	100mm	200mm	100mm
450mm	100mm	250mm	100mm
500mm	100mm	300mm	100mm
550mm	100mm	350mm	100mm
600mm	100mm	400mm	100mm
650mm	100mm	450mm	100mm
700mm	100mm	500mm	100mm
750mm	150mm	450mm	150mm
800mm	150mm	500mm	150mm
900mm	150mm	600mm	150mm
950mm	150mm	650mm	150mm
1000mm	150mm	700mm	150mm
1050mm	150mm	750mm	150mm
1100mm	200mm	700mm	200mm
1150mm	200mm	750mm	200mm
1200mm	200mm	800mm	200mm
1250mm	200mm	850mm	200mm
1300mm	200mm	900mm	200mm
1350mm	200mm	950mm	200mm
1400mm	250mm	900mm	250mm
1450mm	250mm	950mm	250mm
1500mm	250mm	1000mm	250mm
1550mm	250mm	1050mm	250mm
1600mm	250mm	1100mm	250mm
1650mm	250mm	1150mm	250mm
1700mm	250mm	1200mm	250mm
1750mm	250mm	1250mm	250mm
1800mm	300mm	1200mm	300mm
1850mm	300mm	1250mm	300mm
1900mm	300mm	1300mm	300mm
1950mm	300mm	1350mm	300mm
2000mm	300mm	1400mm	300mm

* to centre of spigot

Retaining wall panels (12mm)



ORDER CODE: **12NRP-1400HT**



ORDER CODE: **12NRP-1600HT**



ORDER CODE **12NRP-1800HT**

To be compliant to pool fencing requirements, raked panels may be needed.

Our raked planes are higher at one side of the glass which enables step points or changes in height to be overcome. Blitz Glass has 1200mm wide panels with 3 heights available. The modular raked panels are at a large cost saving to custom made raked glass and also enable jobs to be completed immediately.

Please take care to refer to relevant Standards to ensure our raked planels are suitable for your needs as each installation situation/compliance requirrement is unique.

Order code	Width	Height	Sqm	Weight
12NRP-1400HT	1200mm	1400mm	1.60	48kg
12NRP-1600HT	1200mm	1600mm	1.76	53kg
12NRP-1800HT	1200mm	1800mm	1.92	58kg



- 12 mm thick clear toughened
- 5 mm radius corners
- Suits friction spigots
- No hole toughened glass
- Superior edge finishing
- Grade “A” toughened glass
- Australian Standards copliant AS/NSS2208
- Corner protectors in packing

Consider using RIGI clamps to provide extra rigidity for bracing to adjacent panels

Stand off / Denial Panels



Stand off or Denial Panels can be side fixed to provide a compliance solution.

At 1450mm high they are designed to sidefix in an allow the height to match the 1200mm high panels as part of the standard pool fence.

Order code	Width	Height	Sqm	Weight	Centre
SOP-0900	900mm	1450mm	1.30	39kg	600
SOP-1000	1000mm	1450mm	1.45	43.5kg	700
SOP-1100	1100mm	1450mm	1.60	48kg	800
SOP-1200	1200mm	1450mm	1.75	52.1	900

Cleargaze Channels Glass Panels

For the minimalist look, Clearglace channel glass is an ideal solution. Glass is grouted directly into the ground which removes the need for spigots. When preparing for new concrete pours, a slot can be left into which glass panels are inserted and then grouted in. For exisiting concrete areas, suitable concrete cutting can provide the required slot. Glass is 1350mm high to ensure the top of glass remains at 1200mm or more above finished floor level.



Order code	Width	Height	Sqm	Weight
12CG-0800	800mm	1350mm	1.08	32kg
12CG-1000	1000mm	1350mm	1.35	41kg
12CG-1100	1100mm	1350mm	1.49	45kg
12CG-1200	1200mm	1350mm	1.62	49kg
12CG-1300	1300mm	1350mm	1.76	53kg
12CG-1400	1400mm	1350mm	1.89	57kg
12CG-1500	1500mm	1350mm	2.03	61kg
12CG-1600	1600mm	1350mm	2.16	65kg

12 mm thick clear toughened

5 mm radius corners

Cleargaze Channels Glass Hinge Panels

To compliment the Cleargaze panel range, a 1000mm wide hinge panel is available to suit the Master Range and Polaris hinges. The hinge panel may be used in conjuction with multiple gate sizes to achieve your desired configuration.

Hinge panel to suits Master Range Gate



12mm thick clear toughened

5mm radius corners

Suits master range hardware

4x Ø14mm holes

*Refer to page 63 for installation details

Order Code	Sqm	Weight
12CGH-1000	1.35	41kg

Hinge panel to suits Polaris Gate



12mm thick clear toughened

5mm radius corners

Suits Polaris hardware

2x hinge cut outs

Order Code	Sqm	Weight
12CGPH-1000	1.35	41kg

Semi Frameless Pool Panels (10mm)



- 10 mm thick clear toughened
- 2 mm radius corners
- Suits Australis rnage posts
- No hole toughened glass
- Grade “A” toughened glass
- Australian Standards copliant AS/NSS2208
- Corner protectors in packing

Semi Frameless panels can be used with the Australis range of posts providing you with a quality finish.

Order code	Width	Height	Sqm	Weight
10SF-0384	384mm	1200mm	0.46	12kg
10SF-0484	484mm	1200mm	0.58	15kg
10SF-0584	584mm	1200mm	0.70	18kg
10SF-0684	684mm	1200mm	0.82	21kg
10SF-0784	784mm	1200mm	0.94	24kg
10SF-0884	884mm	1200mm	1.06	27kg
10SF-0984	984mm	1200mm	1.18	30kg
10SF-1034	1034mm	1200mm	1.24	31kg
10SF-1084	1084mm	1200mm	1.30	33kg
10SF-1134	1134mm	1200mm	1.36	34kg
10SF-1184	1138mm	1200mm	1.42	36kg
10SF-1234	1234mm	1200mm	1.48	37kg
10SF-1284	1238mm	1200mm	1.54	39kg
10SF-1334	1334mm	1200mm	1.60	40kg
10SF-1384	1338mm	1200mm	1.66	42kg
10SF-1434	1434mm	1200mm	1.72	43kg
10SF-1484	1438mm	1200mm	1.78	45kg
10SF-1534	1534mm	1200mm	1.84	46kg
10SF-1584	1538mm	1200mm	1.90	48kg
10SF-1634	1634mm	1200mm	1.96	49kg
10SF-1684	1638mm	1200mm	2.02	51kg
10SF-1734	1734mm	1200mm	2.08	52kg
10SF-1784	1738mm	1200mm	2.14	54kg

Order code	Width	Height	Sqm	Weight
SF0200	200mm	1200mm	0.24	6kg
SF0300	300mm	1200mm	0.36	9kg
SF0400	400mm	1200mm	0.48	12kg
SF0500	500mm	1200mm	0.60	15kg
SF0600	600mm	1200mm	0.72	18kg
SF0700	700mm	1200mm	0.84	21kg
SF0800	800mm	1200mm	0.96	24kg
SF0900	900mm	1200mm	1.08	27kg
SF1000	1000mm	1200mm	1.20	30kg
SF1100	1100mm	1200mm	1.32	33kg
SF1200	1200mm	1200mm	1.44	36kg
SF1300	1300mm	1200mm	1.56	39kg
SF1400	1400mm	1200mm	1.68	42kg
SF1500	1500mm	1200mm	1.80	45kg
SF1600	1600mm	1200mm	1.92	48kg
SF1700	1700mm	1200mm	2.04	51kg
SF1800	1800mm	1200mm	2.16	54kg
SF1900	1900mm	1200mm	2.28	57kg
SF2000	2900mm	1200mm	2.50	60kg

BLITZ GLASS
Unit 2,
5 Dual Avenue,
Warana. 4575
Tel : 07 5493 9779

Spigots

Blitz Glass commitment to quality and compliance means we supply products that are carefully designed, keeping in mind both appearance and also Australian Standards' load requirements.

Each product range is vigorously tested for material composition and each spigot range is tested by a NATA certified testing body to load requirements. The duplex 2205 spigots incorporate a superior stainless steel which features elevated levels of chemical components enabling superior strength and corrosion resistance in harsh marine environments.

Our large range of spigots and finishes ensures a product selection is possible for all installation requirements including core drilled, base plated or face mounted options.

SPIGOT RANGE

Spigots are available in either a Stainless Steel, Anodised Aluminium or Composite materials. The spigots are also available with a polished, satin or black finish. The type of fixing varies for each different style of spigot.



Core Drilled Spigots	Base Plated Spigots	Anodised Aluminium Spigots
• Stainless Steel Range • 2205 Stainless Steel • Square Spigots • Polished & Satin Options • Extended Spigot Options	• Stainless Steel Range • Square Spigots • Polished & Satin Options	• Core Drilled or Base Plated • Polished or Satin Finish • Double Friction fixing

Special Purpose Spigots

Black Spigots	Side Fixed Spigots	Face Mount Spigots	Composite Spigots
• Stainless Steel coated Black • Square Spigots • Core Drilled or Base Plate Option	• Stainless Steel Range • Square Spigots • Side Fixing accessories • Polished & Satin Options	• Stainless Steel Range • Square Spigots • Side Fixing option • Polished & Satin Options	• In ground option only • No Earthing Required • Made from UV Stabilised Materials • NATA Tested

Phone: (07) 5493 9779
Fax: (07) 3319 7373
Email: admin@blitzglass.com.au
www.blitzglass.com.au

BLITZ GLASS
Unit 2,
5 Dual Avenue,
Warana. 4575
Tel : 07 5493 9779

Spigots

Madrid Range (Square)	Madrid Vertical Clamp (Square)	Madrid Facemount (Square)
• Duplex stainless steel 2205 • Polish, satin or matt black finish • Recessed friction plate for ease of installation • Single friction	• Duplex stainless steel 2205 • Polish or satin finish • Face mount application • Ideal for edge of slabs & beams • Single friction	• Duplex stainless steel 2206 • Slotted fixing hole allows for easy positioning of fixings • Cover plate hides fixings for neat finish • Polish, Satin or Black finish
Lifestyle Square Range	**Lifestyle Round Range**	**Ultra Anodised Aluminium**
• Duplex stainless steel 2205 • Polish or satin finish • Double friction assissts glass panel allignment • Base plate has multiple fixing points	• Duplex stainless steel 2205 • Polish or satin finish • Double friction assissts glass panel allignment • Base plate has multiple fixing points	• Aluminium spigot with high quality anodised finish • Polish, Satin & Black finish • Double friction assists with glass panel alignment
JG Spigots (Various Extensions)	**Blitz Round Spigots**	**Composite Spigot**
These square spigots allow for a base plated or multiple length core drilled spigots. Ideal for when additional length is required to get a solid fixing point.		
• Core Drill & Base Plate Option • Polish Finish only • Core drilled spigots available in 3 lengths (285mm, 330mm & 360mm)	• Stainless Steel 316L • Solid Stainless Steel Billit for extra strength • Polish finish only • Core Drilled & Base Plated Options	• Available for ground use only • No Earthing Required • 2 Part domical cover • NATA Tested

Phone: (07) 5493 9779
Fax: (07) 3319 7373
Email: admin@blitzglass.com.au
www.blitzglass.com.au

Madrid Range SS2205

Stainless steel 2205 is a superior duplex stainless steel which features elevated levels of chemical components enabling superior strength and corrosion resistance in harsh marine environments. The Madrid range has been designed with superior strength and a slimline profile.

Core drill spigot

FRICTION FIT

Polish, satin or matt black finish

Order Code: **MAD-S-P** (Polish)
MAD-S-S (Satin)
MAD-S-B (Black)

Advantages

- Duplex stainless steel 2205 - Designed for superior strength
- Square shape with minimal visible fixings
- Modern 45mm front profile
- M10 bolt at bottom enables up to 60mm of vertical height adjustment, a contact point for earthing, and extra anchoring in footings (helpful when working with sand)
- Recessed single friction plate for neat finish & easy installation
- Tapered packer included (1mm to 1.5mm) to enable tilt adjustment of glass

Optional extras

Flat dress ring

100mm x 100mm

Polish, satin or matt black finish

Order Code: **MAD-DR-P**
MAD-DR-S
MAD-DR-B

FRICTION SPIGOTS

New release!

After extensive R&D, the Madrid matt black spigots are available.

Genuine Akzo Nobel textured powder is used to provide the highly sought after matt black finish.

To ensure proper adhesion of powder to stainless steel, a special pre-treatment is undertaken whereby a thin, zirconium based conversion layer is applied to the stainless steel substrate. This special coating provides robust corrosion protection and enhanced paint adhesion.



NOTE: DRAWINGS ARE NOT TO SCALE

Madrid Range SS2205

Stainless steel 2205 is a superior duplex stainless steel which features elevated levels of chemical components enabling superior strength and corrosion/pitting resistance. SS2205 is commonly used in harsh marine environments.

Base plated spigot

FRICTION FIT

Polish, satin or matt black finish

Order Code: **MAD-SBP-P** (Polish)
MAD-SBP-S (Satin)
MAD-SBP-B (Black)

Advantages

- Duplex stainless steel 2205
- Contemporary tapered top to comply with 'no toe hold' requirements
- Base plate has 4x countersunk holes to enable flush fixing. Countersunk timber screw available (hex head drive)
- Modern square shape with minimal visible fixings
- Recessed single friction plate for neat finish & easy installation
- Tapered packer included (1mm to 1.5mm) to enable tilt adjustment of glass
- Structure of spigot maximises strength

Optional extras

Slimline domical cover

12mm high

Polish, satin or matt black finish

Order Code: **MAD-SDC-P**
MAD-SDC-S
MAD-SDC-B

High domical cover

23mm high

Polish, satin or matt black finish

Order Code: **MAD-HDC-P**
MAD-HDC-S
MAD-HDC-B

Consider when using dynabolts or high fixings & fasteners







NOTE: DRAWINGS ARE NOT TO SCALE

Madrid Range SS2205

Madrid Vertical ss2205



Glass fits 103mm into spigot throat

Madrid Vertical
WALL MOUNT CLAMP
Polish or satin finish
Order Code: **MAD-VC-P** (Polish)
MAD-VC-S (Satin)

Advantages
- Stainless steel 2205 in polish or satin finish
- Face mount spigot can be fixed to concrete, timber, beams or bearers
- A fast and easy alternative to glass standoffs
- Suits 12mm glass friction fit
- Ideal for narrow concrete slab installations with single central fixing
- Earthing terminal included for installations near waters edge
- Pool fencing and balustrade compliant. Contact us for load test reports
- Tilting packer tapered from 0.8mm to 1.3mm included to assist installation
- Eccentric rear bush included allows for vertical and horizontal adjustment when installing
- Fixing kits sold separately

Fixing kits & accessories



Timber/beam fixing kit
Order Code: **MAD-M12KIT**

Kit includes:
- 2x flat washers & 2x spring washers
- 2x nuts
- 1x 6.5mm thick packer

**M12 lag screws sold separately*

*For **timber fixing**, purchase as required separately 93mm, 115mm or 160mm lag screws (2 per spigot)*
*For **steel beam fixing**, M12 threaded rod and rear lock off nuts can be used*



Concrete fixing kit
Suits installation into concrete
Use appropriate chemical anchor
Order Code: **MAD-M18KIT**

Kit includes:
- 1x M18x120mm threaded rod
- 1x flat washer & 1x spring washer
- 1x nut
- 1x 6.5mm thick packer



2.5mm thick back packer
Packer can be used for out of plumb walls to pack out rear of Madrid vertical spigot
Order Code: **MAD-PACKER**

NOTE: DRAWINGS ARE NOT TO SCALE

Madrid Range SS2205

Madrid Deluxe top fix ss2205



Madrid Deluxe top fix clamp

Polish or satin finish

Order Code: **MADDEL-TF-P** (Polish)
MADDEL-TF-S (Satin)

Advantages

- Top fix spigot installed with single central M12 fixing and specially machined nut
- Single central fixing ideal for narrow/PFC beams and slab installations
- No large core holes, dress rings or domical covers required
- Stainless Steel 2205 spigot in polish or satin finish
- 45mm front slimline profile x 65mm depth
- Suits 12mm up to 17.52mm glass
- Friction fit glass installation with recessed friction packer – no holes in glass required
- 120mm depth spigot mouth provides extra clamping strength and rigidity
- Internal packers included for glass panel alignment and tilt adjustment
- 5mm thick SS2205 height adjustment packer for uneven surfaces available in polish and satin finish (sold separately)



5mm height adjustment packer

Order Code: **MADDEL-TFPKR-P**
MADDEL-TFPKR-S

- SS2205 in polish or satin finish
- Sits under top fix spigot. Packers can be stacked on top of each other



115mm lag screw

M12 thread - SS304
Order Code:
GS115LAG

160mm lag screw

M12 thread - SS304
Order Code:
GS160LAG

120mm threaded rod

M12 thread - SS304
Order Code:
GS120ROD



1000mm threaded rod

M12 thread - SS304
Order Code:
GS1000ROD

Madrid Range SS2205

Madrid face mount SS2205

Stainless steel 2205 is a superior duplex stainless steel which features elevated levels of chemical components enabling superior strength and corrosion resistance in harsh marine environments. The Madrid face mount range has been designed with superior strength and a modern square design.

Face mount spigot

FRICTION FIT

Polish, satin or matt black finish

Order Code: MAD-FACEM-P (Polish)
MAD-FACEM-S (Satin)
MAD-FACEM-B (Black)

Advantages

- Duplex stainless steel 2205
- Face mount installation - no need for core drill or base plated spigots
- 2x M12 fixing nuts included (M12 lag screw or threaded rod sold separately)
- Slotted fixing hole allows for easy positioning of fixings
- Cover plate hides fixings for neat finish
- Earthing terminal included
- Height adjustment packers and stand offs available

Optional extras

Stackable packer
3mm thick
Polish, satin or matt black finish
Order Code:
MAD-FACEM-3PKR-P
MAD-FACEM-3PKR-S
MAD-FACEM-3PKR-B

Ø38mm standoff
10mm thick
Polish, satin or matt black finish
Order Code:
MAD-FACEM-SO10-P
MAD-FACEM-SO10-S
MAD-FACEM-SO10-B

FRICTION SPIGOTS



Glass Clamps

Glass clamps provide a smart & functional solution for clamping glass panels.

Our glass clamps are made from high quality 2205 grade stainless steel, available in polish or satin finish. Perfect for any semi-frameless pool fencing project.

All of our glass clamps come complete with gaskets to suit 8mm, 10mm or 12mm glass and are designed for friction fitting which eliminates the need for drill holes in glass panels.

Note: Please take care to refer to relevant standards to ensure our D clamps are suitable for your needs as each installation situation/compliance requirement is unique



Slimline clamp - Square front, flat back

SS2205

Polish or satin finish

Order Code: **GCS-S-FB-P** (Polish)
GCS-S-FB-S (Satin)

Advantages

- Slimline 45x45mm shape
- Premium grade SS2205 in polish or satin finish
- Gaskets included to suit 8mm or 10mm glass only (not suited to 12mm glass)
- Gaskets made from EPDM - highest quality gaskets available



Slimline clamp - Square front, round back

SS2205

Polish or satin finish

Order Code: **GCS-S-RB-P** (Polish)
GCS-S-RB-S (Satin)

Advantages

- Slimline 45x45mm shape - Suits fixing to Ø50mm round posts
- Premium grade SS2205 in polish or satin finish
- Gaskets included to suit 8mm or 10mm glass only (not suited to 12mm glass)
- Gaskets made from EPDM - highest quality gaskets available



Square front, flat back clamp

SS2205

Polish or satin finish

Order Code: **GC-S-FB-P** (Polish)
GC-S-FB-S (Satin)

Advantages

- Premium 2205 grade stainless steel
- Gaskets included to suit 8mm, 10mm or 12mm glass
- Gaskets made from EPDM - highest quality gaskets available
- Can be used with bottom seat (refer below)



Square front, round back clamp

SS2205

Polish or satin finish

Order Code: **GC-S-RB-P** (Polish)
GC-S-RB-S (Satin)

Advantages

- Premium 2205 grade stainless steel
- Gaskets included to suit 8mm, 10mm or 12mm glass
- Gaskets made from EPDM - highest quality gaskets available
- Can be used with bottom seat (refer below)

Glass Clamps



D front, flat back clamp

SS2205

Polish or satin finish

Order Code: **GC-D-FB-P** (Polish)
GC-D-FB-S (Satin)

Advantages

- Premium 2205 grade stainless steel
- Gaskets included to suit 8mm, 10mm or 12mm glass
- Gaskets made from EPDM - highest quality gaskets available
- Can be used with bottom seat (refer below)



D front, round back clamp

SS2205

Polish or satin finish

Order Code: **GC-D-RB-P** (Polish)
GC-D-RB-S (Satin)

Advantages

- Premium 2205 grade stainless steel - Suits Ø50mm round posts
- Gaskets included to suit 8mm, 10mm or 12mm glass
- Gaskets made from EPDM - highest quality gaskets available
- Can be used with bottom seat (refer below)



Bottom seat for D clamps

SS2205

Polish or satin finish

Order Code: **GC-D-SEAT-P** (Polish)
GC-D-SEAT-S (Satin)

Advantages

- Use when glass slip is a concern or for heavier/wider panels
- Simply insert into D clamp
- Bottom plate seat sold separately

Slimline 45x45mm clamp cannot be used with bottom seat



Bottom seat for sq. front clamps

SS2205

Polish or satin finish

Order Code: **GC-S-SEAT-P** (Polish)
GC-S-SEAT-S (Satin)

Advantages

- Use when glass slip is a concern or for heavier/wider panels
- Simply insert into sq. front clamp
- Bottom plate seat sold separately

Slimline 45x45mm clamp cannot be used with bottom seat

Rigi Clamps

A contemporary clamp which acts as a brace between glass panels, providing extra rigidity to your fence.

We have an extensive range of RIGI clamps available to suit most installations.

Clamps are made from high quality stainless steel 316, available in satin or polish finish. The clamps are 'friction fit' meaning that the glass panels do not require pre-drilled holes for fitting.



Small rigi clamp

SS316

Polish or satin finish

Order Code: **GC-RIGIS-P** (Polish)
GC-RIGIS-S (Satin)

Advantages

- Friction fit rigi clamp
- Suits 12mm glass
- Ideal for panels with gaps between 20 - 50mm





Large rigi clamp

SS316

Polish or satin finish

Order Code: **GC-RIGIL-P** (Polish)
GC-RIGIL-S (Satin)

Advantages

- Friction fit rigi clamp
- Suits 12mm glass
- Ideal for panels with gaps between 20 - 95mm



Rigi Clamps

90 degree rigi clamp

SS316

Polish or satin finish

Order Code: **GC-RIGI90-P** (Polish)
GC-RIGI90-S (Satin)

Advantages

- Friction fit rigi clamp
- Suits 12mm glass





Wall rigi clamp

SS316

Polish or satin finish

Order Code: **GC-RIGIW-P** (Polish)
GC-RIGIW-S (Satin)

Advantages

- Friction fit rigi clamp
- Suits 12mm glass
- Brace glass to walls/posts



Use for timber fixing!



Bugle batten screw
50mm long - hex head drive
Polish or satin finish
Order Code: **CSK-050**
- SS316
- 14G x 50mm long with Ø11.5mm outer head

Swivel rigi clamp

SS316

Polish or satin finish

Order Code: **GC-RIGISWIV-P** (Polish)
GC-RIGISWIV-S (Satin)

Advantages

- Friction fit rigi clamp
- Suits 12mm glass
- Multi angle rigi clamp - a great solution for variable angle installs

Swivel allows rotation



Glass Standoffs

Glass Stand Offs provide the ultimate finish in point fixing frameless glass panels

Our highest quality precision machined 316 grade stainless steel standoffs are available in a range of sizes to suit any project.
We offer 2 ranges of stand offs that incorporate 10mm or 12mm fixings.

10mm Fixing Range



38mm Diametre
10mm Stand Off Body
SS316
Stainless Steel Polished
Order Code: GS-SOB10 (Polish)



38mm Diametre
30mm Stand Off Body
SS316
Stainless Steel Polished
Order Code: GS-SOB30 (Polish)



38mm Diametre cap with 2 plastic Washes & Brush
Order Code: GS-SOC (Polish)

Stand Off Cap that complements the 10mm range of stand of bodies



38mm Diametre
20mm Stand Off Body
SS316
Stainless Steel Polished
Order Code: GS-SOB20 (Polish)



38mm Diametre
40mm Stand Off Body
SS316
Stainless Steel Polished
Order Code: GS-SOB40 (Polish)

Advantages

- Heavy duty M10 threaded screw
- M10 threaded through the entire standoff body allows single M10 fixing for body and cap
- Precision machining on cap with beveled edge
- Suits 12mm thick glass
- Stand off cap includes 2x plastic washers & 1x bush
- Fixing rod sold separately (Lag Screw / Threaded Rod)
- Additional washers available to pack out the body from wall.

Glass Standoffs

10mm Fixings



75mm lag screw
SS304
Order Code: GS-LS10-75



110mm lag screw
SS304
Order Code: GS-LS10-110

125mm threaded rod
SS304
Order Code: GS-TR10-125

Advantages

- M10 Thread with 10mm lag screw with Hex drive head
- Suits timber or composite material installation
- Suits the 10mm Stand Off range

12mm Fixing Range

Ø38mm x 25mm body standoff
SS316
Polish, satin or matt black finish
Order Code: **GS3825P** (Polish)
GS3825S (Satin)
GS3825B (Matt black)



Ø38mm x 45mm body standoff
SS316
Polish, satin or matt black finish
Order Code: **GS3845P** (Polish)
GS3845S (Satin)
GS3845B (Matt black)

Recommended glass hole size
ø20mm

Standoff diameter
ø38mm

Standoff back view



4x Ø5mm holes | **M12 centre thread**

Advantages

- Heavy duty M12 threaded screw
- M12 threaded through the entire standoff body allows single M12 fixing for body and cap
- Precision machining on cap with beveled edge
- Suits 12mm thick glass
- Kit includes: cap, body, 2x plastic washers & 1x bush (fixing rod sold separately)
- Additional washers available to pack out body from wall

Glass Standoffs

12mm Fixing Range



Ø50mm x 20mm body standoff

SS316

Polish, satin or matt black finish

Order Code: **GS5020P** (Polish)
GS5020S (Satin)
GS5020B (Matt black)



Ø50mm x 30mm body standoff

SS316

Polish, satin or matt black finish

Order Code: **GS5030P** (Polish)
GS5030S (Satin)
GS5030B (Matt black)



Ø50mm x 50mm body standoff

SS316

Polish, satin or matt black finish

Order Code: **GS5050P** (Polish)
GS5050S (Satin)
GS5050B (Matt black)

Recommended glass hole size

ø20-22mm

Standoff diameter

ø50mm

Standoff back view

2x Ø6.5mm holes
2x 7x12mm slots
M12 centre thread

Glass Standoffs

Adjustable Stand Offs (38mm & 50mm Options)

Ø38mm x 12mm thick cap & Ø38mm body

Adjustable body from **23mm to 40mm**



unscrew to adjust standoff body length adjustable from 23-40mm

Ø50mm x 12mm thick cap & Ø50mm body

Adjustable body from **23mm to 40mm**

ADJUSTABLE

Ø38mm standoff with adjustable body

SS316

Polish or satin finish

Order Code: **GS38P-A** (Polish)
GS38S-A (Satin)

Adjustable length **23-40mm**

Recommended glass hole size **ø20-22mm**

Advantages

- Ideal for fixing to uneven surfaces
- Maximum strength - entire standoff affixed to M12 threaded rod or lag screw
- Visually pleasing - adjustable section fits internal of body
- Kit includes: cap, body, 2x plastic washers & 1x bush

ADJUSTABLE

Ø50mm standoff with adjustable body

SS316

Polish or satin finish

Order Code: **GS50P-A** (Polish)
GS50S-A (Satin)

Adjustable length **23-40mm**

Recommended glass hole size **ø20-22mm**

Advantages

- Ideal for fixing to uneven surfaces
- Maximum strength - entire standoff affixed to M12 threaded rod or lag screw
- Visually pleasing - adjustable section fits internal of body
- Kit includes: cap, body, 2x plastic washers & 1x bush

Glass Standoff Fixings

12mm Stand Off Fixings



93mm lag screw
SS304
Order Code: **GS093LAG**

115mm lag screw
SS304
Order Code: **GS115LAG**

160mm lag screw
SS304
Order Code: **GS160LAG**

Advantages
- M12 thread with 12mm coach screw - Hex drive head
- Suits timber or composite material installation
- Suits all standoffs in our range



120mm threaded rod
SS304
Order Code: **GS120ROD**

Advantages
- M12 thread - 120mm long
- Suits all standoffs in our range



1000mm threaded rod
SS304
Order Code: **GS1000ROD**

Advantages
- M12 thread - 1000mm long
- Cut down to suit your required length
- Suits all standoffs in our range

Advantages
- Heavy duty M10 threaded screw
- M10 threaded through the entire standoff body allows single M10 fixing for body and cap
- Precision machining on cap with beveled edge
- Suits 12mm thick glass
- Stand off cap includes 2x plastic washers & 1x bush
- Fixing rod sold separately (Lag Screw / Threaded Rod)
- Additional washers available to pack out the body from wall.

The ideal combination of a threaded rod through a stainless steel body mounted onto a single rigid threaded screw or lag screw results in a strong and secure standoff fixing for your project.

NOTE: 50 x 50mm standoff must use 160mm lag screw to fit body & cap entirely onto the screw.

40x40mm square standoff does not allow for above configuration

Glass Standoff Accessories



Ø38mm flat cap (cap only)

SS316

Polish or satin finish

Order Code: **GS38CAP-P** (Polish)
GS38CAP-S (Satin)

Advantages

- Ø38mm cap - M12 thread
- Suits all 38mm body standoffs in our range
- 12mm thick with beveled edge



Ø50mm flat cap (cap only)

SS316

Polish or satin finish

Order Code: **GS50CAP-P** (Polish)
GS50CAP-S (Satin)

Advantages

- Ø50mm cap - M12 thread
- Suits all 50mm body standoffs in our range
- 12mm thick with beveled edge



Ø38mm nylon washer

Black nylon

Polish or satin finish

Order Code: **GS38W**

Advantages

- Allows for packing out from wall
- Suits all Ø38mm body standoffs in our range
- UV stabilised black plastic - 1mm thick



Ø50mm nylon washer

Black nylon

Polish or satin finish

Order Code: **GS50W**

Advantages

- Allows for packing out from wall
- Suits all Ø50mm body standoffs in our range
- UV stabilised black plastic - 1mm thick

Standoff tool

SS316

Order Code: **GSTOOL**

Advantages

- Tighten or loosen Ø38mm & Ø50mm standoffs

A versatile tool that allows for easy installation of 38mm and 50mm diameter standoffs. Simply rotate the tool to suit the standoff diameter size.



Australis Aluminium

The Australis range provides a complete pool fencing system which offers easy installation with a visually stunning end product. The Australis range has been NATA tested to meet all Australian compliance requirements and use only genuine Interpon powder to achieve the silver & black finishes.

Australis Range

1200MM HIGH GLASS
WITH FLAT CAPS



1200MM HIGH GLASS
WITH NOTCHED CAPS



EXPLODED VIEW
POOL FENCING



Australis Posts

All Post extrusions are produced in Alloy Grade 6005A in accordance with AS/NZS 1866-1977. The Australis post provides deep glazing pockets and the captive wedge system caters for ease of installation. The screw flutes in the post allow greater flexibility when installing and the top caps are designed to be inserted onto the top of the posts.

The posts come in a range of sizes to meet all your design requirements



Standard Australis Posts



One way post

28mm glazing pocket depth

Satin black, palladium silver or mill finish

Order Code: **A50-1150-1W-B/S/M** (1150mm high)
A50-1400-1W-B/S/M (1400mm high)
A50-1800-1W-B/S/M (1800mm high)
A50-5800-1W-B/S/M (5800mm high)

Advantages

- Alloy 6005A - 2.5mm wall thickness
- Screw flutes to screw on base plate
- Suitable for 8mm, 10mm or 12mm thick glass
- 1150mm, 1400mm, 1800mm or 5800mm high
  (Aluminium top cap included with all posts except 5800mm high)



Two way post

24mm glazing pocket depth

Satin black, palladium silver or mill finish

Order Code: **A50-1150-2W-B/S/M** (1150mm high)
A50-1400-2W-B/S/M (1400mm high)
A50-1800-2W-B/S/M (1800mm high)
A50-5800-2W-B/S/M (5800mm high)

Advantages

- Alloy 6005A - 2.5mm wall thickness
- Screw flutes to screw on base plate
- Suitable for 8mm, 10mm or 12mm thick glass
- 1150mm, 1400mm, 1800mm or 5800mm high
  (Aluminium top cap included with all posts except 5800mm high)

Australis Posts



90° corner post

17mm glazing pocket depth

Satin black, palladium silver or mill finish

Order Code: **A50-1150-90-B/S/M** (1150mm high)
A50-1400-90-B/S/M (1400mm high)
A50-1800-90-B/S/M (1800mm high)
A50-5800-90-B/S/M (5800mm high)

Advantages

- Alloy 6005A - 2.5mm wall thickness
- Screw flutes to screw on base plate
- Suitable for 8mm, 10mm or 12mm thick glass
- 1150mm, 1400mm, 1800mm or 5800mm high
  (Aluminium top cap included with all posts except 5800mm high)



135° corner post

16mm glazing pocket depth

Satin black, palladium silver or mill finish

Order Code: **A50-1150-135-B/S/M** (1150mm high)
A50-1400-135-B/S/M (1400mm high)
A50-1800-135-B/S/M (1800mm high)
A50-5800-135-B/S/M (5800mm high)

Advantages

- Alloy 6005A - 2.5mm wall thickness
- Screw flutes to screw on base plate
- Suitable for 8mm, 10mm or 12mm thick glass
- 1150mm, 1400mm, 1800mm or 5800mm high



Full post

Satin black, palladium silver or mill finish

Order Code:
XP-2400-FP-B/S/M (2400mm high)
XP-6100-FP-B/S/M (6100mm high)

Advantages

- Alloy 6063 - Temper: T6
- 1.8mm wall thickness with 3mm ribs
- Screw flutes to screw on base plate
- No glazing pocket in post
- 2400mm or 6100mm high
  (Aluminium top cap included with 2400mm high post)



Post infill

Satin black, palladium silver or mill finish

Order Code:
A50-1400-INF-B/S/M (1400mm high)
A50-2800-INF-B/S/M (2800mm high)

Advantages

- Alloy 6063 - Temper: T6
- Infill suits all Australis glazing posts
- Snap-in infill under glazing rail and on posts
- 1400mm or 2800mm high



Gate stile

Satin black, palladium silver or mill finish

Order Code:
A50-1400-GS-B/S/M (1400mm high)

Advantages

- Alloy 6063 - Temper: T6
- Can be affixed to Australis posts or a wall
- Use as a surface to hinge from or latch to

Australis Posts

Base Plated Australis Posts



Welded base plate

One way base plated post

28mm glazing pocket depth

Satin black, palladium silver or mill finish

Order Code: **A50-1400-1WBP-B/S/M** (1400mm high)

Advantages

- Alloy 6005A - 2.5mm wall thickness
- 10mm thick base plate with 4x Ø11mm holes
- Slimline domical cover available
- Suitable for 8mm, 10mm or 12mm thick glass
- 1400mm high (Aluminium top cap included)

1800mm base plated posts also available. Purchase 1800mm post plus separate base plate and screw together. *Refer to page 72 for screws and base plate*



Welded base plate

Two way base plated post

24mm glazing pocket depth

Satin black, palladium silver or mill finish

Order Code: **A50-1400-2WBP-B/S/M** (1400mm high)

Advantages

- Alloy 6005A - 2.5mm wall thickness
- 10mm thick base plate with 4x Ø11mm holes
- Slimline domical cover available
- Suitable for 8mm, 10mm or 12mm thick glass
- 1400mm high (Aluminium top cap included)

1800mm base plated posts also available. Purchase 1800mm post plus separate base plate and screw together. *Refer to pages 72 for screws and base plate*



Welded base plate

90° corner base plated post

17mm glazing pocket depth

Satin black, palladium silver or mill finish

Order Code: **A50-1400-90BP-B/S/M** (1400mm high)

Advantages

- Alloy 6005A - 2.5mm wall thickness
- 10mm thick base plate with 4x Ø11mm holes
- Slimline domical cover available
- Suitable for 8mm, 10mm or 12mm thick glass
- 1400mm high (Aluminium top cap included)

1800mm base plated posts also available. Purchase 1800mm post plus separate base plate and screw together. *Refer to pages 72 for screws and base plate*



Welded base plate

135° corner base plated post

16mm glazing pocket depth

Satin black, palladium silver or mill finish

Order Code: **A50-1400-135BP-B/S/M** (1400mm high)

Advantages

- Alloy 6005A - 2.5mm wall thickness
- 10mm thick base plate with 4x Ø11mm holes
- Slimline domical cover available
- Suitable for 8mm, 10mm or 12mm thick glass
- 1400mm high (Aluminium top cap included)

1800mm base plated posts also available. Purchase 1800mm post plus separate base plate and screw together. *Refer to pages 72 for screws and base plate*

Post Accessories



Flat top plate

Satin black, palladium silver or mill finish

Order Code: XP-TP-B/S/M

Advantages

- Aluminium top plate presses into post screw flutes for secure fixing
- Posts come with free top plate included (excluding 5800mm) - only purchase if extra top plates needed



Flat top plate with extended lip

Satin black, palladium silver or mill finish

Order Code: A50-TP-L-B/S/M

Advantages

- Aluminium top plate presses into post screw flutes for secure fixing
- 5mm extended lip to hide any cut marks on top edge of post



Flat top plate - half post

Satin black, palladium silver or mill finish

Order Code: A50-TP-HALF-B/S/M

Advantages

- Aluminium top plate presses into post screw flutes for secure fixing
- Posts come with free top plate included (excluding 5800mm) - only purchase if extra top plates needed



Flat top plate - 135° post

Satin black, palladium silver or mill finish

Order Code: A50-TP-135-B/S/M

Advantages

- Aluminium top plate presses into post screw flutes for secure fixing
- Posts come with free top plate included (excluding 5800mm) - only purchase if extra top plates needed

Offset one way notched cap - extended lip

Satin black, palladium silver or mill finish

Order Code: A50-OFF-1WC-B/S/M

Advantages

- Aluminium cap presses into post screw flutes for secure fixing
- Allows glass to extend past top of post
- 5mm lip covers any rough post cut marks

Offset two way notched cap - extended lip

Satin black, palladium silver or mill finish

Order Code: A50-OFF-2WC-B/S/M

Advantages

- Aluminium cap presses into post screw flutes for secure fixing
- Allows glass to extend past top of post
- 5mm lip covers any rough post cut marks



Offset 90° notched cap - extended lip

Satin black, palladium silver or mill finish

Order Code: A50-OFF-90C-B/S/M

Advantages

- Aluminium cap presses into post screw flutes for secure fixing
- Allows glass to extend past top of post
- 5mm lip covers any rough post cut marks



Dress ring

Satin black, palladium silver or mill finish

Order Code: XP-DR-B/S/M

Advantages



135° dress ring

Satin black, palladium silver or mill finish

Order Code: A50-135DR-B/S/M

Advantages



Sitting block

Black nylon

Order Code: A50-SB

Advantages

Post Accessories

Base plates



Aluminium base plate set

Satin black, palladium silver or mill finish

Order Code: XP-BP-SET-B/S/M

Advantages

- Simply screw base plate onto core drill post
- Australis post extrusion specially designed with screw flutes
- 4x 12G x 75mm long CSK screws included in set
- Suitable for pool fencing load requirements

Screws included



Aluminium 135° base plate (only)

Satin black, palladium silver or mill finish

Order Code: A50-135BP-B/S/M

Advantages

- Simply screw base plate onto 135° core drill post
- Use 4x 12G x 75mm long CSK square drive screws (sold separately: **A50-CSK75-12G**)
- Suitable for pool fencing load requirements



Screws sold separately

Domical covers



Domical cover

Satin black, palladium silver or mill finish

Order Code: A50-DC-B/S/M

Advantages

- Alloy ADC12
- Suits all base plated posts



Two part domical cover

Satin black, palladium silver or mill finish

Order Code: A50-DC-2P-B/S/M

Advantages

- Alloy ADC12
- Suits all base plated posts
- Can be fitted to posts after glass is installed

Square drive bit

Order Code: A50-SQDRIVE

Advantages

- Sold as single drill bit
- Use 75mm CSK screws to affix base plated to posts
- Fits all standard drills

CSK 75mm long square drive

Order Code: A50-CSK75-12G

Advantages

- 12G x 75mm long - SS304
- Pack of 100
- Use to affix base plate to posts

Post Accessories

Glazing rubber

8mm Glass Panels P115/65 & yellow captive



P115/65 glazing rubber

Order Code: **A50-P115/65-ROLL** (100m roll)

- Rubber glazed into 1 side of post extrusion pocket and/or glazing rail (opposite side to captive wedge rubber)
- Suits 8mm glass with Australis series

Yellow captive glazing rubber

Order Codes: **A50-CAP-YEL-ROLL** (100m roll)
A50-CAP-YEL-10PK (10 pack - 1300m lengths)

- Captive wedge rubber inserted into 1 side of post extrusion pocket and/or glazing rail
- Suits 8mm, 10mm or 12mm glass with Australis series

10mm Glass Panels P40 & yellow captive



P40 glazing rubber

Order Codes: **A50-P40-ROLL** (100m roll)
A50-P40-10PK (10 pack - 1300m lengths)

- Rubber glazed into 1 side of post extrusion pocket and/or glazing rail (opposite side to captive wedge rubber)
- Suits 10mm glass with Australis series

Yellow captive glazing rubber

Order Codes: **A50-CAP-YEL-ROLL** (100m roll)
A50-CAP-YEL-10PK (10 pack - 1300m lengths)

- Captive wedge rubber inserted into 1 side of post extrusion pocket and/or glazing rail
- Suits 8mm, 10mm or 12mm glass with Australis series

12mm Glass Panels P41/22 & yellow captive



P41/22 glazing rubber

Order Code: **A50-P41/22** (100m roll)

- Rubber glazed into 1 side of post extrusion pocket and/or glazing rail (opposite side to captive wedge rubber)
- Suits 12mm glass with Australis series

Yellow captive glazing rubber

Order Codes: **A50-CAP-YEL-ROLL** (100m roll)
A50-CAP-YEL-10PK (10 pack - 1300m lengths)

- Captive wedge rubber inserted into 1 side of post extrusion pocket and/or glazing rail
- Suits 8mm, 10mm or 12mm glass with Australis series

Glass Gates

Master Range Gate Panels (8mm)



We offer 8 widths of 8 mm clear toughened pool gate panels. The gates may be used to hinge form glass hinge panels or adjacent to a wall or post. Holes are pre-drilled in gate to match Master Range hardware.
8 mm thich gates are lighter than 10 mm or 12 mm thich glass gates which leads to less wear and tear on gate hardware over the long term.

- 8 mm thick clear toughened
- 2 mm radius corners
- Suits master range hardware
- 6xØ10mm holes.

Order code	Width	Height	Sqm	Weight
GP-750	750mm	1200mm	0.90	18kg
GP-800	800mm	1200mm	1.00	20kg
GP-838	834mm	1200mm	1.07	21kg
GP-850	850mm	1200mm	1.02	20.4kg
GP-890	890mm	1200mm	1.07	21.4
GP-900	900mm	1200mm	1.08	-
GP-950	950mm	1200mm	1.14	-
GP-1000	1000mm	1200mm		-

Polaris Gate Panels (12mm)



Suits glass to glass installation



Suits glass to wall/post installation

We offer 2 widths of gates to suit Polaris Soft Close hinges.
Polaris hinges are specially designed with a soft close action to take the weight of a 12mm thick glass gate. The depth of the glass cut outs differ between the wall/post hinge gate and the glass to glass gate. A deeper hinge cut out is required for the wall/ post glass gate, which is why two gate types are offered.

Application	Order Code	Width	Height	Sqm	Weight
Glass to glass	**12PGG-0800**	800mm	1200mm	0.96	29kg
	12PGG-0900	900mm	1200mm	1.08	32kg
Glass to wall/ post	**12PWG-0800**	800mm	1200mm	0.96	29kg
	12PWG-0900	900mm	1200mm	1.08	32kg

- **12mm thick clear toughened**
- **5mm radius corners**
- **Suits Polaris 120 series hinges**
- **2x hinge cut outs**
- **2x 12mm diameter holes**

Glass Gate Hinges: Master Range

Glass to glass hinge set - Pair of 2

SS316

Polish or satin finish

Order Code: **MR-GGH-P** (Polish)
MR-GGH-S (Satin)

Advantages

- Stainless steel 316 backing plates for premium finish
- Suits glass to glass application
- Cone cap incorporated to prevent toe hold
- Suits 8mm and 10mm glass gates
- Weight capacity of 25kg per pair



Face mount hinge set - Pair of 2

SS316

Polish or satin finish

Order Code: **MR-FMH-P** (Polish)
MR-FMH-S (Satin)

Advantages

- Suits face mount application - Use when hinging off the front face of a wall/post
- Cone cap incorporated to prevent toe hold
- Suits 8mm and 10mm glass gates
- Weight capacity of 25kg per pair



Glass Gate Hinges: Master Range

Wall/sq. post to glass hinge set - Pair of 2

SS316

Polish or satin finish

Order Code: **MR-SPH-P** (Polish)
MR-SPH-S (Satin)

Advantages

- Suits wall/sq. post to glass application
- Cone cap incorporated to prevent toe hold
- Suits 8mm and 10mm glass gates
- Weight capacity of 25kg per pair



Round post to glass hinge set - Pair of 2

SS316

Polish or satin finish

Order Code: **MR-RPH-P** (Polish)
MR-RPH-S (Satin)

Advantages

- Suits 50mm round post to glass application
- Cone cap incorporated to prevent toe hold
- Suits 8mm and 10mm glass gates
- Weight capacity of 25kg per pair



Face mount hinge set – Pair of 2

SS316

Polish Finish

Order Code: **GHG2SPO-P** (Polish)

Advantages

- Suits face mount application - Use when hinging off the front face of a post and setting the glass gate into the centre of the post.
- Cone cap incorporated to prevent toe hold.
- Suits 8mm and 10mm glass gates
- Weight capacity of 25kg per pair

Soft Close Hinges: Polaris Range

Glass to Glass 120 Series

Glass to glass hinge set
120 SERIES
SS2205
Polish, satin or matt black finish
Order Code: **PSC-120GG-P** (Polish)
PSC-120GG-S (Satin)
PSC-120GG-B (Black)

Advantages

- 2205 grade stainless steel
- Self closing pool fence compliant safety hinge
- Tested to cycle count Australian Standards requirements
- Adjustable closing speed with European dampeners providing a soft close action
- Cone cap incorporated on bottom hinge for anti-toe hold
- Suits 10 or 12mm thick glass gates (max 45kg)









NOTE: DRAWINGS ARE NOT TO SCALE

Soft Close Hinges: Polaris Range

Glass to Wall 120 Series

Glass to wall hinge set
120 SERIES
SS2205
Polish, satin or matt black finish
Order Code: **PSC-120W-P** (Polish)
PSC-120W-S (Satin)
PSC-120W-B (Black)

Advantages

- 2205 grade stainless steel
- Self closing pool fence compliant safety hinge
- Tested to cycle count Australian Standards requirements
- Adjustable closing speed with European dampeners providing a soft close action
- Cone cap incorporated on bottom hinge for anti-toe hold
- Suits 10 or 12mm thick glass gates (max 45kg)









NOTE: DRAWINGS ARE NOT TO SCALE

Polaris Range: Post Backing Plates

Glass to Square Post Backing Plates

Glass to square post backing plates
120 SERIES
SS2205
Polish or satin finish (not available in matt black)
Order Code: **PSC-120PLATE-SP-P** (Polish)
PSC-120PLATE-SP-S (Satin)

> **!** Backing plates are sold separately! You must purchase glass to wall hinges as well as the square post backing plates. Simply unscrew and remove the existing wall plates and replace with the square post backing plates.

Advantages
- 2205 grade stainless steel
- Backing plate suits a 50mm square post

Complete hinge set
- Self closing pool fence compliant safety hinge
- Tested to cycle count Australian Standards requirements
- Adjustable closing speed with European dampeners providing a soft close action
- Cone cap incorporated on bottom hinge for anti-toe hold
- Suits 10 or 12mm thick glass gates (max 45kg)





Square post hinge cut out specification
Glass cut outs at top & bottom of gate





PSC-120W & PSC-120PLATE-SP shown above

NOTE: DRAWINGS ARE NOT TO SCALE

Polaris Range: Post Backing Plates

Glass to Round Post Backing Plates

Glass to round post backing plates
120 SERIES
SS2205
Polish or satin finish (not available in matt black)
Order Code: **PSC-120PLATE-RP-P** (Polish)
PSC-120PLATE-RP-S (Satin)

Backing plates are sold separately! You must purchase glass to wall hinges as well as the round post backing plates. Simply unscrew and remove the existing wall plates and replace with the round post backing plates.

Advantages
- 2205 grade stainless steel
- Backing plate suits a Ø50mm round post

Complete hinge set
- Self closing pool fence compliant safety hinge
- Tested to cycle count Australian Standards requirements
- Adjustable closing speed with European dampeners providing a soft close action
- Cone cap incorporated on bottom hinge for anti-toe hold
- Suits 10 or 12mm thick glass gates (max 45kg)





Round post hinge cut out specification
Glass cut outs at top & bottom of gate





PSC-120W & PSC-120PLATE-RP shown above

NOTE: DRAWINGS ARE NOT TO SCALE

Gate Latches: Master Range

Glass to Glass Range

Glass to glass stainless steel latch kit

SS316

Polish or satin finish

Order Code: **MR-FLGGSS-P** (Polish)
MR-FLGGSS-S (Satin)

Advantages

- Genuine D&D stainless steel side pull latch
- Friction keeper for glass to glass 180° application
- Suits 8mm, 10mm and 12mm glass gates
- Latch panel must be 12mm thick - no latch holes required



Glass to glass latch kit

SS316 & Polymer

Polish, satin or matt black finish

Order Code: **MR-FLGG-P** (Polish)
MR-FLGG-S (Satin)
MR-FLGG-B (Black)

Advantages

- Downee side pull latch with SS316 backing plates
- Friction keeper for glass to glass 180° application
- Suits 8mm, 10mm and 12mm glass gates
- Latch panel must be 12mm thick - no latch holes required



NOTE: DRAWINGS ARE NOT TO SCALE

Gate Latches: Master Range

Glass to Post Range

Wall/square post to glass stainless steel latch kit

SS316

Polish or satin finish

Order Code: **MR-WGLSS-P** (Polish)
MR-WGLSS-S (Satin)

Advantages

- Genuine D&D stainless steel side pull latch
- Latch for wall/sq. post to glass gate application
- Suits 8mm, 10mm and 12mm glass gates



Wall/sq. post to glass latch kit

SS316 & Polymer

Polish, satin or matt black finish

Order Code: **MR-WGL-P** (Polish)
MR-WGL-S (Satin)
MR-WGL-B (Black)

Advantages

- Downee side pull latch with SS316 backing plates
- Latch for wall/sq. post to glass application
- Suits 8mm, 10mm and 12mm glass gates





Round post to glass stainless steel latch kit

SS316

Polish or satin finish

Order Code: **MR-RPLSS-P** (Polish)
MR-RPLSS-S (Satin)

Advantages

- Genuine D&D stainless steel side pull latch
- Latch for 50mm round post to glass application
- Suits 8mm, 10mm and 12mm glass gates

NOTE: DRAWINGS ARE NOT TO SCALE

Gate Latches: Master Range

Glass to 90 Degrees Range

Glass to glass external 90° corner latch kit

SS316 & Polymer

Polish or satin finish

Order Code: **MR-FL90E-P** (Polish)
MR-FL90E-S (Satin)

Advantages

- Downee side pull latch with SS316 backing plates
- Friction keeper for external fit 90° glass to glass application
- Integrated hook plate ensures latch panel cannot be separated from gate
- Suits 8mm, 10mm and 12mm glass gates
- Latch panel must be 12mm thick - no latch holes required



Glass to glass internal 90° corner latch kit

SS316 & Polymer

Polish or satin finish

Order Code: **MR-FL90I-P** (Polish)
MR-FL90I-S (Satin)

Advantages

- Downee side pull latch with SS316 backing plates
- Friction keeper for internal fit 90° glass to glass application
- Specially designed locking clasp mechanism ensures latch panel cannot be separated from gate
- Suits 8mm, 10mm and 12mm glass gates
- Latch panel must be 12mm thick - no latch holes required





Retro fit to master range latch kits for a lockable latch

Face mount latch

Black Polymer

Black finish

Order Code: **MR-FMLSL**

Supplier Code: **MLSPS2L**

Advantages

- Key lockable D&D latch in black polymer finish
- All backing plates supplied with non-lockable nylon latches can be retro fitted with the D&D lockable latch

NOTE: DRAWINGS ARE NOT TO SCALE

Aluminium Pool Fencing

At Blitz Glass we also offer a range of Aluminium Pool fencing products that can be tailored to meet your specific requirements.

With an emphasis on high quality products, our range of aluminium tubular fencing is manufactured to an industry best standard of 6 points of weld per picket and utilise genuine Australian Interpon powder coat. With the focus of a one stop shop for the trade, a complete range of panels, posts, hardware and brackets are available.

Flat Top Aluminium Panels

Flat top pool panel

2450mm



Flat top pool gate

975mm



Advantages

- 6 point welds
- Pickets: 16mm diameter x 1.2mm (Alloy 6063 - T6)
- Spacings: 72.1mm gap with 88.1mm centre
- Rails: 38mm x 25mm x 1.6mm
- Compliant to AS1926.1-2012
- Mitred top corners on gate

Order codes

Flat top panel	**SS-FTP-2450-B/G/S/M**
Flat top gate	**SS-FTG-0975-B/G/S/M**

Lifetime manufacturer's warranty
*Conditions apply

Colours Interpon powder coat

- B — **Black** GN150A
- G — **Woodland grey** GL205A
- S — **Silver** GY184C

Flat top pool panel

3000mm



Advantages

- 6 point welds
- Pickets: 16mm diameter x 1.2mm (Alloy 6063 - T6)
- Spacings: 72.1mm gap with 88.1mm centre
- Rails: 38mm x 25mm x 1.6mm
- Compliant to AS1926.1-2012

Order codes

3m flat top panel	**SS-FTP-3000-B**

Colour Interpon powder coat

- B — **Black** GN150A

Flat Top Adjustable Gates

1 Adjustable Gate



2 Driveway double gates



Advantages

- 6 point welds
- Pickets: 16mm diameter x 1.2mm (Alloy 6063 - T6)
- Spacings: 72.1mm gap with 88.1mm centre
- Rails: 38mm x 25mm x 1.6mm
- Standard gate compliant to AS1926.1-2012
  (Driveway double gates are not pool fencing compliant)

Driveway double gates

Use 2x standard 1470mm wide gates to achieve a driveway double gate up to 3000mm wide

Extras required:
2x pair of hinges, 1x latch, 2x drop bolts, 2x posts

Colour Interpon powder coat

B **Black**
GN150A

Order code

1470mm W adjustable gate	**SS-FTG-1470-B**

Flat Top Aluminium Accessories

B G S

50x50mm core drill post

1800mm H or 2100mm H
Black, woodland grey or silver finish
Order Codes: SS-1800-B/G/S
SS-2100-B/G/S

Advantages

- 50mm x 50mm core drill post
- 1.8mm wall thickness
- Alloy 6063 - T6
- Free top cap included



B G S

Base plated post

1300mm H or 1600mm H
Black, woodland grey or silver finish
Order Codes: SS-1300-BP-B/G/S
SS-1600-BP-B/G/S

Advantages

- 50mm x 50mm post with welded base plate - 4x Ø12mm holes
- 1.8mm wall thickness
- Alloy 6063 - T6
- Free top cap included

B G S

Dress ring

Powder coated aluminium
Black, woodland grey or silver finish
Order Codes: XP-DR-B/G/S

Advantages

- Suits 50x50mm core drill post
- 101mm outer diameter
- Alloy 6063 - T6

B G S

Horizontal brackets

Pack of 4 (10x screws included)
Black, woodland grey or silver finish
Order Codes: SS-BH4-B/G/S

Advantages

- Suitable for 38mm x 25mm rail
- 2x fixing holes
- 4x brackets and 10x self tapping colour matched tek screws included in pack

B

Vertical bracket

Single bracket
Black finish
Powder coated aluminium
Order Code: SS-BV-B

Advantages

- Suitable for 38mm x 25mm rail
- Allows for vertical rail adjustment
- 2x fixing holes



B G

360° bracket

Single bracket
Black or woodland grey finish
Nylon
Order Codes: SS-B360-B/G

Advantages

- Suitable for 38mm x 25mm rail
- Allows for 360° angle installation (side to side and up and down)
- 4x fixing holes

Flat Top Aluminium Accessories

Angle bracket
Black finish
Order Code: **SS-BA-B**

Advantages
- Allows for variable rail adjustment
- 2x fixing holes

Flat top cap
Black polypropylene finish
Order Code: **SS-TC**

Advantages
- Suits 50x50mm post
- Internal fit top cap
- Black polypropylene

Domed top cap
Black polypropylene finish
Order Code: **SS-TD**

Advantages
- Suits 50x50mm post
- Internal fit top cap
- Black polypropylene

Gate stop
Black polymer finish
Order Code: **SS-GS**

Advantages
- Genuine D&D gate stop
- Easy to install

Tek screws
Black finish
Order Codes: **SS-TS-100-B**
SS-TS-500-B

Advantages
- 12-14G x 20mm thread
- Galvanised hexagonal head
- Packs of 100 or 500 available

300mm drop bolt
Black or zinc plated finish
Order Codes: **SS-0300DB-B/ZP**

Advantages
- Ideal for driveway gates

CPR sign
Order Code: **CPR**

Advantages
- Genuine Royal Life Saving resuscitation chart
- Plastic coated

Aluminium Gate Accessories

Fencing Hinges

19mm gap spacing

TRUClose

TRU close hinge pair
Series 3 - Black

Order Code: TC-H-AT-B





Advantages

- D&D patented tension adjustment
- Strong, moulded polymer and stainless steel
- Adjust tension from both ends of the hinge
- No visible fixings
- Decorative trim covers available in black finish
- Super strong engineering polymers and stainless steel components
- Styish and contemporary design
- Won't rust, bind, sag or stain!
- Limited lifetime warranty
- Pool fencing compliant - Rated to gates up to 30kg

Supplier code: TCA1S3BT

D&D Technologies
Hi-Performance Hardware

Certi cap - Series 3

Order Code: TC-CAPS3

Advantages

- Prevents toe hold on hinge
- Durable polymer material

Supplier code: TCACAPS3





19mm gap spacing

D&D Technologies
Hi-Performance Hardware

FIXED TENSION

Kwik fit hinge pair

Order Code: KF-H-FT

Advantages

- Self closing fixed tension hinges
- Rated to 20kg self close (D&D)
- Special sitting legs for easy alignment with post and gate
- Strong polymer and stainless steel
- Torsion spring construction
- Pool fencing compliant

Supplier code: KFS





19mm gap spacing

D&D Technologies
Hi-Performance Hardware

NO TENSION

Kwik fit hinge pair

Order Code: KF-H-NT

Advantages

- Standard pivot hinges (No self close)
- Rated to 25kg gates (D&D)
- Alignment legs for ease of fitting
- Strong polymer construction
- Ideal for boundary gates

Supplier code: KFP

NOT POOL FENCING COMPLIANT!





Aluminium Gate Accessories

Fencing Latches

10-37mm gap spacing

D&D Technologies Hi-Performance Hardware

Top pull lockable latch

Order Code: **ML-TL**

Advantages

- Magnetically triggered lockable latch
- Adjusts horizontally and vertically
- Includes adjustable striker plate
- D&D Limited lifetime warranty
- Quick and easy installation
- Tested to over 400,000 cycles

Supplier code: MLTPS2BGA



8-10mm gap spacing

D&D Technologies Hi-Performance Hardware

Face mount lockable latch

Order Code: **MR-FMLSL**

Advantages

- Suits retrofitting to previously fitted standard side pull latch installations
- Key lockable
- Adjusts horizontally and vertically
- Limited lifetime warranty
- Black polymer

Supplier code: MLSPS2L





15-40mm gap spacing

D&D Technologies Hi-Performance Hardware



LOKK latch deluxe

Order Code: **LL-DL**

Advantages

- Lockable from both sides of gate
- Rekeyable, 6-pin security lock
- Fits up to 150mm deep posts
- Black polymer

Supplier code: LLDABS2-L



NOT POOL FENCING COMPLIANT!

10-45mm gap spacing

D&D Technologies Hi-Performance Hardware



T latch

Order Code: **T-L**

Advantages

- Padlockable
- Lockable from one side only

*Padlock not included

Supplier code: TL01

NOT POOL FENCING COMPLIANT!

D latch

Order Code: **SS-DL-B**

Advantages

- Easy to install D latch and striker
- Includes tek screws
- Cost effective latching solution

NOT POOL FENCING COMPLIANT!

ALUMINIUM POOL FENCING

Aluminium Gate Accessories

Fencing Hardware Kits

D&D Technologies
Hi-Performance Hardware

FIXED TENSION

Magna latch with kwik fit hinge pair

Order Code: **ML-TL-KF-H-FT**

Advantages

- Kit includes D&D top pull Magna latch and 2x KWIK fit hinges (KFS model)
- Self closing fixed tension hinges
- Pool fencing compliant - Rated for gates up to 20kg
- Magnetically triggered lockable latch
- Award winning latch design

Supplier code: MLKFSK





D&D Technologies
Hi-Performance Hardware

ADJUSTABLE TENSION

Magna latch with TRU close hinge pair (adjustable tension)

Order Code: **ML-TL-TC-H-AT**

Advantages

- Kit includes D&D top pull Magna latch and 2x TRU close hinges
- Patented tension adjustable hinges
- Pool fencing compliant - Rated to 25kg self close (D&D)
- Magnetically triggered lockable latch
- Award winning latch design

Supplier code: MTSTDKS2CAP