

Blitz Glass offers a large range of clear toughened glass pool panels allows you to select an installation configuration to cover nearly all your glass fencing requirements.


Panels are produced under strict quality conformance requirements to ensure that the toughened glass complies to AS/NZS 2208 : 1996 Safety Glazing Materials in Buildings as determined by AS1288 : 2006, AS 1926.1 2007.

Glass panels are available for fully frameless pool fencing, semi frameless pool fencing, hinge panels, glass gates and a range of speciality panels for specific installation requirements.

FULLY FRAMELESS GLASS POOL PANELS

 <p>12 mm thick clear toughened</p> <p>Suits friction spigots No hole toughened glass Superior edge finishing Grade "A" toughened glass Australian Standards Compliant AS/NSS2208 Corner protectors in packing</p>	Glass Panel Sizes (All Panels @ 1200mm High)			
	100mm	700mm	1150mm	1600mm
	200mm	750mm	1200mm	1650mm
	300mm	800mm	1250mm	1700mm
	400mm	850mm	1300mm	1750mm
	450mm	900mm	1350mm	1800mm
	500mm	950mm	1400mm	1850mm
	550mm	1000mm	1450mm	1900mm
	600mm	1050mm	1500mm	1950mm
	650mm	1100mm	1550mm	2000mm

SEMI FRAMELESS GLASS POOL PANELS

 <p>10 mm thick clear toughened 2 mm radius corners Suits Australis Range of Posts No hole toughened glass Superior edge finishing Grade "A" toughened glass Australian Standards Compliant AS/NSS2208 Corner protectors in packing</p>	Glass Panel Sizes (All Panels @ 1200mm High)			
	100mm	1100mm	384mm	1384mm
	200mm	1200mm	484mm	1434mm
	300mm	1300mm	584mm	1484mm
	400mm	1400mm	684mm	1534mm
	500mm	1500mm	784mm	1584mm
	600mm	1600mm	884mm	1634mm
	700mm	1700mm	984mm	1684mm
	800mm	1800mm	1034mm	1734mm
	900mm	1900mm	1084mm	1784mm
	1000mm	2000mm	1134mm	1834mm
			1184mm	1884mm
			1234mm	1934mm
		1284mm	1984mm	
		1334mm		

Phone: (07) 5493 9779

Fax: (07) 3319 7373

Email: admin@blitzglass.com.au

www.blitzglass.com.au

GLASS HINGE PANELS & GATES

Master Gate Range		Polaris Soft Close Gate Range	
Master Hinge Panels	Master Range Gates	Polaris Hinge Panels	Polaris Range Gates
500mm Hinge Panel	750mm Gate	1000mm Hinge Panel	800mm Wide Gate **
1000mm Hinge Panel	800mm Gate	1100mm Hinge Panel	900mm Wide Gate **
1100mm Hinge Panel	834mm Gate	1200mm Hinge Panel	
1200mm Hinge Panel	850mm Gate	1300mm Hinge Panel	**Glass or Wall option
1300mm Hinge Panel	890mm Gate	1400mm Hinge Panel	
1400mm Hinge Panel	900mm Gate	1500mm Hinge Panel	
1500mm Hinge Panel	950mm Gate	1600mm Hinge Panel	
1600mm Hinge Panel	1000mm Gate	1800mm Hinge Panel	
1800mm Hinge Panel			

SPECIALITY PANELS

Stand Off Panels	Retaining Wall Panels	Channel Glass
Used as a denial panel matching to the pool fence.	Used to cater for stepping points to meet compliance.	At 1350mm high it can be installed into the ground.
900 * 1450mm Stand Off	1400mm > 1200mm	800 * 1350mm
1000 * 1450mm Stand Off	1600mm > 1200mm	1000 * 1350mm
1100 * 1450mm Stand Off	1800mm > 1200mm	1200 * 1350mm
1200 * 1450mm Stand Off		1300 * 1350mm
		1400 * 1350mm
		1500 * 1350mm
		1600 * 1350mm
		1000 (Standard Gate)
		1000 (Polaris Gate)

Phone: (07) 5493 9779

Fax: (07) 3319 7373

Email: admin@blitzglass.com.au

www.blitzglass.com.au


GLASS BALUSTRADE PANELS

Blitz Glass offers a large range of clear heat soaked glass pool panels allows you to select an installation configuration to cover nearly all your glass balustrading requirements.

Panels are produced under strict quality conformance requirements to ensure that the toughened glass complies to AS/NZS 2208 : 1996 Safety Glazing Materials in Buildings as determined by AS1288 : 2006 and BS EN 14179-1:2005 for the Heat Soaking.

SEMI FRAMELESS GLASS BALUSTRADE PANELS

The semi frameless glass balustrade panels are all 10mm heat soaked panels. Two types of balustrade panels are available to provide an option for either 850mm or 950mm high panels.



Glass Panel Widths

480	730	980	1230
530	780	1030	1280
580	830	1080	1330
630	880	1130	1380
680	930	1180	1430

Phone: (07) 5493 9779


Fax: (07) 3319 7373

Email: admin@blitzglass.com.au

www.blitzglass.com.au

FULLY FRAMELESS GLASS BALUSTRADE PANELS

The frameless glass balustrade panels are all 12mm heat soaked panes @ 970mm high. Two types of balustrade panels are available to provide an option for either a side rail or top rail configuration.



Glass Panel Widths (All Panels @ 970mm High)

970 NTG & NOS Range			
500	850	1200	1500
550	900	1250	1550
600	950	1300	1600
650	1000	1350	1650
700	1050	1100	1400
750	1100	1400	1700
800	1150	1450	1750
			1800
970NTG Range also has the following additional panels available			
300mm	350mm	400mm	300mm

Phone: (07) 5493 9779


Fax: (07) 3319 7373

Email: admin@blitzglass.com.au

www.blitzglass.com.au

STAND OFF GLASS BALUSTRADE PANELS

The stand off glass panels are all 12mm heat soaked panes @ 1280mm high with holes at the bottom of the panels in order to side fix the panels. Two types of stand off panels are available to provide an option for either a side rail or top rail configuration.



Glass Panel Widths (All Panels @ 1280mm High)

700	1000	1300	1600
750	1050	1350	1650
800	1100	1400	1700
850	1150	1450	1750
900	1200	1500	1800
950	1250	1550	